

DC性能表

网站: www.ks-dey.com

機型 Model	轉速 RPM	Type DC-40 performakwe																								註:入口流量 Qs=3mm
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq			
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	
850	1.02	0.42	1.10	0.89	0.64	1.10	0.66	0.85	1.50	0.46	1.07	1.50	0.23	1.29	2.20											
950	1.18	0.47	1.10	1.05	0.71	1.10	0.79	0.95	1.50	0.64	1.20	2.20	0.44	1.44	2.20											
1050	1.35	0.52	1.10	1.20	0.79	1.10	0.92	1.06	1.50	0.81	1.32	2.20	0.62	1.59	2.20											
1150	1.49	0.57	1.10	1.36	0.86	1.50	1.14	1.16	2.20	0.95	1.45	2.20	0.76	1.74	2.20											
1250	1.65	0.62	1.10	1.52	0.94	1.50	1.30	1.26	2.20	1.14	1.58	2.20	0.98	1.90	3.00	0.82	2.22	3.00	0.67	2.54	3.00	0.52	2.86	4.00		
1350	1.80	0.67	1.10	1.67	1.01	1.50	1.41	1.36	2.20	1.31	1.70	2.20	1.17	2.05	3.00	1.04	2.39	3.00	0.93	2.74	4.00	0.82	3.08	4.00		
1450	1.96	0.71	1.10	1.83	1.09	1.50	1.61	1.46	2.20	1.47	1.83	3.00	1.35	2.20	3.00	1.26	2.57	3.00	1.17	2.94	4.00	1.11	3.31	4.00		
1550	2.12	0.76	1.10	1.99	1.16	2.20	1.77	1.56	2.20	1.63	1.95	3.00	1.51	2.35	3.00	1.41	2.75	4.00	1.33	3.15	4.00	1.26	3.54	5.50		
1650	2.27	0.81	1.10	2.14	1.24	2.20	1.92	1.66	2.20	1.78	2.08	3.00	1.66	2.50	3.00	1.57	2.93	4.00	1.48	3.35	4.00	1.42	3.77	5.50		
1750	2.43	0.86	1.50	2.30	1.31	2.20	2.08	1.76	3.00	1.94	2.21	3.00	1.82	2.65	4.00	1.72	3.10	4.00	1.64	3.55	5.50	1.57	4.00	5.50		
1850	2.59	0.91	1.50	2.46	1.39	2.20	2.23	1.86	3.00	20.90	2.33	3.00	1.97	2.81	4.00	1.88	3.28	4.00	1.79	3.75	5.50	1.73	4.23	5.50		
1950	2.74	0.96	1.50	2.61	1.46	2.20	2.39	1.96	3.00	2.25	2.46	3.00	2.13	2.96	4.00	2.02	3.46	4.00	1.96	3.96	5.50	1.88	4.46	5.50		

機型 Model	轉速 RPM	Type DC-50 performakwe																								
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq			
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	
850	1.60	0.61	1.10	1.37	0.97	1.50	1.18	1.34	2.20	1.02	1.70	2.20	0.88	2.06	3.00	0.76	2.42	3.00	0.67	2.79	4.00	0.60	3.15	4.00		
950	1.87	0.68	1.10	1.64	1.09	1.50	1.45	1.49	2.20	1.29	1.90	3.00	1.15	2.30	3.00	1.03	2.71	4.00	0.94	3.11	4.00	0.87	3.52	5.50		
1050	2.13	0.75	1.10	1.90	1.20	2.20	1.71	1.65	2.20	1.55	2.10	3.00	1.41	2.55	4.00	1.29	2.99	4.00	1.20	3.44	4.00	1.13	3.89	5.50		
1150	2.40	0.82	1.50	2.17	1.32	2.20	1.98	1.81	3.00	1.82	2.30	3.00	1.68	2.79	4.00	1.56	3.28	4.00	1.47	3.77	5.50	1.40	4.26	5.50		
1250	2.67	0.90	1.50	2.44	1.43	2.20	2.25	1.96	3.00	2.09	2.50	3.00	1.95	3.03	4.00	1.83	3.56	5.50	1.74	4.10	5.50	1.67	4.63	5.50		
1350	2.93	0.97	1.50	2.70	1.54	2.20	2.51	2.12	3.00	2.35	2.70	4.00	2.21	3.27	4.00	2.09	3.85	5.50	2.00	4.42	5.50	1.93	5.00	5.50		
1450	3.20	1.04	1.50	2.97	1.66	2.20	2.78	2.28	3.00	2.62	2.90	4.00	2.48	3.51	5.50	2.36	4.13	5.50	2.27	4.75	5.50	2.20	5.37	7.50		
1550	3.47	1.11	1.50	3.24	1.77	3.00	3.05	2.43	3.00	2.89	3.10	4.00	2.75	3.76	5.50	2.63	4.42	5.50	2.54	5.08	7.50	2.47	5.74	7.50		
1650	3.74	1.18	2.20	3.51	1.89	3.00	3.32	2.59	3.00	3.15	3.30	4.00	3.02	4.00	5.50	2.90	4.70	5.50	2.81	5.41	7.50	2.74	6.11	7.50		
1750	4.01	1.26	2.20	3.78	2.00	3.00	3.59	2.75	4.00	3.43	3.50	5.50	3.29	4.24	5.50	3.17	4.99	7.50	3.08	5.74	7.50	3.01	6.48	7.50		
1850	4.28	1.33	2.20	4.05	2.12	3.00	3.86	2.91	4.00	3.70	3.70	5.50	3.66	4.48	5.50	3.44	5.27	7.50	3.35	6.06	7.50	3.28	6.85	11.00		
1950	4.55	1.40	2.20	4.32	2.23	3.00	4.13	3.06	4.00	3.97	3.89	5.50	3.83	4.73	5.50	3.71	5.56	7.50	3.52	6.39	7.50	3.55	7.22	11.00		

機型 Model	轉速 RPM	Type DC-65 performakwe																							
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq		
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw
850	2.17	0.79	1.10	1.18	2.20	2.00	1.66	2.20	1.80	2.13	3.00	1.63	2.60	4.00	1.40	3.07	4.00	1.36	3.54	5.50	1.25	4.01	5.50	1.15	
950	2.53	0.88	1.50	1.32	2.20	2.34	1.85	3.00	2.16	2.38	4.00	1.99	2.91	4.00	1.85	3.43	5.50	1.72	3.96	5.50	1.60	4.49	5.50	1.51	
1050	2.88	0.97	1.50	1.46	2.20	2.68	2.05	3.00	2.54	2.63	4.00	2.34	3.21	4.00	2.20	3.79	5.50	2.07	4.38	5.50	1.96	4.96	7.50	1.86	
1150	3.24	1.06	1.50	1.60	2.20	3.02	2.24	3.00	2.88	2.88	4.00	2.70	3.52	5.50	2.56	4.15	5.50	2.43	4.79	7.50	2.32	5.43	7.50	2.22	
1250	3.60	1.16	2.20	1.74	2.20	3.36	2.44	3.00	3.22	3.13	4.00	3.06	3.82	5.50	2.92	4.52	5.50	2.79	5.21	7.50	2.68	5.90	7.50	2.58	
1350	3.96	1.25	2.20	1.88	3.00	3.78	2.63	4.00	3.56	3.38	5.50	3.42	4.13	5.50	3.28	4.88	7.50	3.15	5.63	7.50	3.04	6.38	7.50	2.94	
1450	4.32	1.34	2.20	2.02	3.00	4.14	2.83	4.00	3.90	3.63	5.50	3.78	4.43	5.50	3.64	5.24	7.50	3.51	6.04	7.50	3.40	6.85	11.00	3.30	
1550	4.68	1.43	2.20	2.16	3.00	4.50	3.02	4.00	4.31	3.88	5.50	4.14	4.74	5.50	4.00	5.60	7.50	3.87	6.46	11.00	3.76	7.32	11.00	3.66	
1650	5.04	1.52	2.20	2.30	3.00	4.86	3.22	4.00	4.67	4.13	5.50	4.50	5.08	7.50	4.36	5.96	7.50	4.23	6.88	11.00	4.12	7.79	11.00	4.02	
1750	5.40	1.62	2.20	2.44	4.00	5.22	3.41	5.50	5.03	4.38	5.50	4.86	5.35	7.50	4.72	6.32	7.50	4.59	7.29	11.00	4.48	8.26	11.00	4.38	
1850	5.76	1.71	2.20	2.58	4.00	5.58	3.61	5.50	5.39	4.63	7.50	5.22	5.66	7.50	5.08	6.68	11.00	4.95	7.71	11.00	4.84	8.74	11.00	4.78	
1950	6.12	1.80	2.20	2.72	4.00	5.94	3.80	5.50	5.75	4.88	7.50	5.58	5.96	7.50	5.44	7.05	11.00	5.31	8.13	11.00	5.20	9.21	11.00	5.10	

機型 Model	轉速 RPM	Type DC-80 performakwe																								
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq			
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	
800	3.83	1.30	2.20	3.83	2.09	3.00	2.98	2.87	4.00	2.62	3.65	5.50	2.31	4.44	7.50	2.03	5.22	7.50	1.79	6.00	7.50	1.57	6.78	11.00		
900	4.43	1.47	3.00	3.98	2.35	3.00	3.58	3.23	4.00	3.22	4.11	5.50	2.91	4.99	7.50	2.63	5.87	7.50	2.39	6.75	11.00	2.17	7.63	11.00		
1000	5.03	1.63	3.00	4.58	2.61	4.00	4.19	3.59	5.50	3.82	4.57	5.50	3.51	5.55	7.50	3.23	6.52	7.50	2.99	7.50	11.00	2.77	8.48	11.00		
1100	5.63	1.79	3.00	5.18	2.87	4.00	4.79	3.95	5.50	4.43	5.02	7.50	4.12	6.10	7.50	3.83	7.18	11.00	3.59	8.25	11.00	3.37	9.33	11.00		
1200	6.23	1.96	3.00	5.78	3.13	4.00	5.39	4.31	5.50	5.03	5.48	7.50	4.72	6.65	11.00	4.43	7.83	11.00	4.19	9.00	11.00	3.97	10.18	15.00		
1300	6.83	2.12	3.00	6.38	3.39	4.00	5.99	4.66	5.50	5.63	5.94	7.50	5.32	7.21	11.00	5.03	8.48	11.00	4.79	9.75	11.00	4.57	11.03	15.00		
1400	7.43	2.28	3.00	6.98	3.65	5.50	6.59	5.02	7.50	6.23	6.39	7.50	5.92	7.76	11.00	5.64	9.13	11.00	5.39	10.50	15.00	5.17	11.87	15.00		
1500	8.03	2.45	3.00	7.58	3.91	5.50	7.19	5.38	7.50	6.83	6.85	11.00	6.52	8.32	11.00	6.24	9.79	11.00	5.99	11.25	15.00	5.77	12.72	15.00		
1600	8.63	2.61	4.00	8.18	4.18	5.50	7.79	5.74	7.50	7.43	7.31	11.00	7.12	8.87	11.00	6.84	10.44	15.00	6.59	12.00	15.00	6.37	13.57	18.50		
1650	8.93	2.69	4.00	8.48	4.31	5.50	8.09	5.92	7.50	7.73	7.54	11.00	7.42	9.15	11.0											

機型 Model	轉速 RPM	Type DC-300 performakwe																										
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq					
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw			
DC-300	800	98.94	29.11	37	96.11	46.58	55	93.88	64.05	75	91.77	81.52	110	89.95	98.99	132	88.37	116.46	160	86.79	133.92	160	85.20	151.39	200	83.61	168.86	250
	900	112.33	32.75	45	109.50	52.40	75	107.27	72.06	90	105.16	91.71	110	103.34	111.36	132	101.76	131.01	160	100.18	150.66	200	98.59	170.32	250	97.00	189.97	315
	1000	125.72	36.39	45	122.89	58.23	75	120.66	80.06	110	118.55	101.90	132	116.73	123.73	160	115.15	145.57	200	113.57	167.40	250	111.98	189.24	315	110.39	210.97	400
	1100	139.05	40.03	55	136.28	64.05	75	134.05	88.07	110	131.94	112.09	132	130.12	136.11	160	128.54	160.13	200	126.95	184.14	250	125.37	208.16	315	123.78	232.18	400
	1200	152.44	43.67	55	149.67	69.87	90	147.44	96.08	132	145.32	122.28	160	143.51	148.48	200	141.93	174.68	250	140.34	200.89	315	138.76	227.09	400	137.17	249.50	500
	1300	165.82	47.31	55	163.03	75.70	90	160.83	104.08	132	158.71	132.47	160	156.90	160.85	200	155.32	189.24	250	153.73	217.63	315	152.15	246.01	400	150.56	273.78	500
	1400	179.20	50.95	75	176.45	81.52	110	174.22	112.09	132	172.10	142.66	200	170.29	173.23	250	168.71	203.80	315	167.12	234.37	400	165.54	264.94	500			

機型 Model	轉速 RPM	Type DC-350 performakwe																										
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq					
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw			
DC-350	600	113.86	34.31	45	109.57	54.90	75	106.22	75.49	90	103.05	96.08	110	100.36	116.66	160	98.03	137.25	200	95.70	157.84	250	93.38	178.43	315	91.05	199.02	400
	700	134.90	40.03	55	130.61	64.05	75	127.26	88.07	110	124.10	112.09	132	121.40	136.11	160	119.07	160.13	200	116.74	184.14	250	114.41	208.16	315	112.08	232.18	400
	800	155.94	45.75	55	151.65	73.20	90	148.30	100.65	132	145.14	128.10	160	142.44	155.55	200	140.11	183.00	250	137.78	210.45	315	135.45	237.90	400	133.12	265.85	500
	900	176.97	51.47	75	172.69	82.35	110	169.34	113.23	132	166.18	144.11	200	163.48	174.99	250	161.15	205.88	315	158.82	236.76	400	156.49	267.64	500			
	1000	198.01	57.19	75	193.73	91.50	110	190.38	125.81	160	187.22	160.13	200	184.52	194.44	250	182.19	228.75	315	179.86	263.06	400	177.53	297.38	500			
	1100	218.96	62.91	75	214.77	100.65	132	211.42	138.39	160	208.28	176.14	250	205.56	213.88	315	203.23	251.63	400	200.90	289.37	500						
	1200	240.00	68.63	90	235.81	109.80	132	232.46	150.98	200	229.29	192.15	250	226.59	233.33	315	224.27	274.50	400	221.94	315.68	500						
1300	261.02	74.34	90	256.85	118.95	160	253.50	163.56	200	250.33	208.16	250	247.63	252.77	315	245.31	297.38	400	242.98	341.98	500							
1400	282.05	80.06	110	277.89	128.10	160	274.54	176.14	250	271.37	224.18	315	268.67	272.21	400	266.35	320.25	500										

機型 Model	轉速 RPM	Type DC-400 performakwe																										
		1000mmAq			2000mmAq			3000mmAq			4000mmAq			5000mmAq			6000mmAq			7000mmAq			8000mmAq					
		Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw	Qs	La	kw			
DC-400	600	132.68	39.77	55	127.69	63.63	75	123.78	87.50	110	120.09	111.36	132	116.95	135.22	160	114.23	159.09	200	111.52	182.95	250	109.13	206.81	315	106.74	230.57	400
	700	157.19	46.40	55	152.20	74.24	90	148.30	102.08	132	144.61	129.92	160	141.46	157.76	200	138.75	185.60	250	136.04	213.44	315	133.64	241.28	400	131.24	269.12	500
	800	181.71	53.03	75	176.72	84.85	90	172.82	116.66	160	169.13	148.48	200	165.98	180.30	250	163.27	212.11	315	160.56	243.93	400	158.16	275.75	500			
	900	206.23	59.66	75	201.24	95.45	110	197.33	131.25	160	193.64	167.04	200	190.05	202.83	250	187.79	238.63	315	185.07	274.42	400	182.68	310.22	500			
	1000	230.75	66.29	90	225.76	106.06	132	221.85	145.83	200	218.18	185.60	250	215.02	225.37	315	212.30	265.14	400	209.59	304.92	500						
	1100	255.15	72.91	90	250.27	116.66	132	246.37	160.41	200	242.68	204.16	250	239.53	247.91	315	236.82	291.66	400	234.11	335.41	500						
	1200	279.67	79.54	110	274.79	127.27	132	270.88	174.99	250	267.20	222.72	315	264.05	270.45	400	261.34	318.17	500									

審核：錢芳（代）2015/10/16

24小時服務熱線：177 1516 6720
網址：www.ks-dcy.com